

# SI649 Final Assignment

*Fall 2020 - COVID Edition (Due Dec. 18th)*

Hi Everyone - For your final assignment, we have tried to streamline the process. There will be no midpoint and no long report. We'll ask you to deliver your code and a short video. You can work in teams of up to 5 (but can tackle this on your own if you're excited). If you have something you're super excited about that is outside of this, please talk to us about it.

For your final project you have a choice of building:

- A dashboard to play the game described below. We hope enough people choose this one and we can have a competition at the end of the semester.
- An interactive communicative vis that shows the outcome of a completed game.

We will not require this, but strongly suggest that you do a vizitcard workshop with your team before you start building.

***Before you start:*** Please note that while there are many complex rules and strategies, you do not need to build a system that does everything. We have designed the game so that you can build different kinds of visualizations (time, networks, trees, multidimensional). Each has a benefit, but you can choose to focus on some over the others.

Whatever you choose, we ask that you pick *at least* two of the data types (e.g., time + multidimensional).

## Planet X Game Objective

Recruit as many (good) robot miners as you can in a limited amount of time (10 minutes).

*You will need to build a dashboard to help your team recruit these robots.*

## Overview

Welcome to Planet X421ZZ (Planet X for short)! You are a representative of an interdimensional company tasked with mining the resources of the planet. Bad news first: your competitors have also landed on the planet!


You won't be able to accomplish this goal without some help. There are robots that have been stuck on the planet for over 100 years. The colonists who used to live here left them when they moved on. The robots evolved, developed some personality quirks, and emulated some aspects of human society (with questionable accuracy). They've also evolved some serious

abandonment issues so you'll need to work hard to convince them to join your team. There are 100 robots and not a lot of time (10 minutes) for you to work so you'll need to be strategic!

To recruit robots to your team, you can visualize two to four types of data:


- The robot friendship game (time series) - recruit the robot to your team by guessing the robot's number
- The social network (network) - recruit popular robots to your team to influence their friends
- Robot productivity (multidimensional) - determine which robots are productive and which are unproductive
- The family tree (hierarchical) - robots that are closely related will have similar number generators for the robot friendship game

Your class project will be to build an interface/dashboard that lets you play a match (you'll be playing against other teams). You don't have to implement an interface for all the strategies (more below) but you can if you want. If you choose to play, your team can use one or more players during the game (so a distributed dashboard). One note, the robots don't like AI competition: So one thing you *can't do* is implement an AI/ML/stats based solution (emphasis is on the vis, not building an automated system to play).



## The Robot Friendship Game (Time Vis)

Did we mention the robots have abandonment issues? The robots would like to make sure you're on the same wave-length as they are. They don't want you to leave them (like the last colonists) and have reasoned that if you think alike, they'll trust you more. To test you, they want you to play their favorite game: "guess my number" (they needed to do something to keep themselves entertained... give them a break!).



Each match lasts 100 X421ZZ time units (XTU). Each time unit is 6 earth seconds so the entire match lasts 10 earth minutes (100 XTUs).

The friendship game is pretty basic. Each robot has a number generator that generates a new number

(between 1 and 100) every XTU. Their random number generator is based on the amount of light one of their sensors detected, so it's not quite random (this will help you).


They've also randomly decided a time that you need to submit your guess by.

For example, Pushwalker Botson (each robot has a name and ID, so Pushwalker is also known as robot 87) has the random number generator and guess time displayed in the figure below. Pushwalker has decided it wants you to guess by time unit 60. It happens to have the "correct answer" 92. When 60 time units have gone by, Pushwalker will look at your guess and your opponent's guess and decide who it wants to join. Closer is better if you want to *win* that robot and have it "declare" for you (a robot that declares for you is part of your team).

Each robot has a different random number generator and expiration date. But because it's based on the light sensor, you'll notice from the figure that the generator isn't actually that random. If you know the value at time 52, you can probably have a good guess about 53 or 51. Even with a few sample points, you might be able to fit a reasonable line to have a good guess.

You can change your guess up to the deadline. Knowing nothing about the robots, you may as well guess something like "50" for all of them but then you're leaving the game up to chance (if your competitor does the same). As you'll see below, there are ways about gaining information about the random number generators for each robot (see "the hacker") so you don't need to randomly guess.

- If you guess "-1" that means you don't want the robot (more on why below)
- If both teams guess -1, the robot is sad and powers down (no one gets the robot)
- If your guess is closest to the correct answer and the other team is not within 10 of the correct answer, you will get the robot
- If both teams are within 10 of the correct answer, the robot will decide using the social network strategy (more below)



### The Social Network (Network Vis)

The robots have evolved their own social network (we told you they liked to behave like humans). Their network looks something like the figure below. They're very proud of their network and are happy to tell you who all their friends

are before the game even starts.

The robots rely on their social network to help them decide which team to join. So if both teams are close to a robot's true answer in the friendship game (or there's a tie), the robot will look to their social network to help them decide.

The way they do this is by considering their immediate neighbors that have already committed to one of the two teams. They will then take the weighted average of their neighbors based on how popular each neighbor is. For example, let's say Pushwalker Botson is friends with Wallminer Botberg Jr., Stoneminer Boterson, Rockhauer Botsky I. Wallminer is very popular and has 10 connections (Wallminer went with team 1). Stoneminer and Rockhauer have 7 and 4 friends respectively (both have gone with team 2).

Looking at these numbers, Pushwalker will go with team 2 ( $11 > 10$ ).

What this tells you, is that if you can, it may help to identify popular robots with earlier expiration dates. If you can somehow get them on your team, it may help you get other robots. Again, you *don't need* to adopt this strategy, but it can help.

## Robot Productivity (Multidim Vis)

Wouldn't it be great if all robots were productive? Why yes it would. Unfortunately, that's not the way things have emerged on planet X421ZZ. The robots have been around for a while and things have started falling apart. They have started using parts from older, powered down robots to try and repair themselves. Because some parts are great and some are bad, some robots will be productive (they'll be good at mining rocks!) whereas others will have negative productivity (they'll make you lose rocks!). Robots are, on the average, more productive than not (if you somehow win all the robots you will have positive productivity).

It turns out there are 10 parts/features of a robot you care about: 'Astrogation Buffer Length', 'InfoCore Size', 'AutoTerrain Tread Count', 'Polarity Sinks', 'Cranial Uplink Bandwidth', 'Repulsorlift Motor HP', 'Sonoreceptors', 'Arakyd Vocabulator Model', 'Axial Piston Model', 'Nanochip Model'. The first 7 are quantitative features (e.g., 7.3 or -92) and the last 3 are nominal/categorical (e.g., Alpha, Beta, Gamma).

A robot's productivity is some function of these parts. For example in one match you might find that the higher the *Astrogation Buffer Length* the higher the *Productivity*. On the other hand model Alpha of the *Axial Piston Model* yields negative productivity while Beta is positive!

Because you only want productive robots, your best strategy is to try and figure out which robots are productive and which are not. You may even want to try and get the other team to win unproductive robots. Not all parts/features will be important and some will be highly correlated and not give you new information.

Once a robot has been declared for one team or the other, both teams will know its productivity and can use this for future guesses.


Again, you start the game not knowing much about which parts each robot has, but that's where the helpful hacker will come in.

## The Family Tree (Hierarchical Vis)

In mimicking human societies, one robot, long ago, decided that it wanted to "evolve." What this means is that over time, old robots built newer ones and a family tree of sorts developed (see image below). All the robots living on the planet today are evolved from that robot. As with the social network, the robots are happy to give you their genealogy when you start the game.

Why do you care? When a robot creates another robot, it will build it nearby. That means that the "child" robot's light sensor will be very similar to the "parent." In turn, this means that the random number generator for that child will be similar (but not the same) as the parent. If you

know a parent's random number generator, you have a better chance of getting the child's. Similarly, if you know one robot's generator, you have a better guess about their "sibling." The closer robots are in this tree (number of hops) the more similar their random number generator will be.



One strategy you might consider is using data from one robot's generator to "fill in the blanks." For example, you might find out that Pushwalker Botson will say "72" at time 31. You can guess that Pushwalker's brother Extrahauler will also say 72 +/- some amount at time 31. The more robots you learn about, the better you can triangulate this value.

Similarly, Pushwalker's creator, Wallbot (who does not exist anymore), was also likely to be 72 +/- some amount at time 31.

While there are only 100 robots on the ground today (ids are 0 to 99, inclusive), there were more before. Records for them exist and you will be able to get some of that information using the hacker (see below). These robots will have IDs  $\geq 100$ . You don't need to guess their values, but they'll be useful to know about.

## The Hacker

At the start of the game, you will be given:

- The robot names and ids
- The social network
- The family tree
- Each robot's deadline for the friendship game

At any time during a running game, you can get:

- Which robot has declared for which team
- The productivity of each declared robot

Additionally, during the game you have access to your hacker!

The robots won't give you details about their random number generator, parts, or productivity level. So you start knowing very little about what to do. But the good news is that you have a hacker at your disposal. Every XTU (X421ZZ time units) you can ask the hacker what they found out about the robots. The hacker will be able to deliver:

- 10 data points to you about a robot's random number generator (for example, they might tell you that Wallhauler's random number at time 54 will be 27). A way of thinking of this is that there are ~150 robots (the 100 in the game plus the ancestors) and 100 time points. This is ~15000 possible cells. The hacker will give you 10 of these at a time.
- They will also be able to give you 6 data points about the parts for a robot (for example, they might tell you that Pushwalker's *Cranial Uplink Bandwidth* is 921). This will only apply to robots in the game, not the ancestors. So 100 robots x 10 part columns. The hacker will give you 6 of these at a time.

While there is some randomness to what the hacker can tell you, you can register interest in specific robots and/or specific parts (this is done through the API we describe below). For example, you can tell the hacker you prefer information about robots 8, 23, and 75 and would like more data on *InfoCore Size* and *Nanochip Models*. Once you register interest, you will get some random information *and* some information about the things you care about. So one strategy might be to change what you ask the hacker as the number of undeclared robots changes.

## Some more details

You DO NOT need to build a dashboard for everything or even try to grapple with all the strategies. Your team can decide what they want to focus on. One strategy might be to focus on only the friendship game and try to build the best time series visualizations to help you decide what to guess.

To help you practice, we'll be giving you some sample datasets of different matches. We'll also give you the server code (more below) to help you simulate the game.

- For now, you'll find two gexf files (<https://gephi.org/gexf/format/>) corresponding to the social network and family tree. These are compatible with networkx (<https://networkx.org/>, a Python package) for visualization/analysis (and you can load them into Gephi to see what they look like: <https://gephi.org/>).
- You will also find two json files for the social network and family tree. This is the same data as the gexf in a format compatible with D3 ([https://networkx.org/documentation/stable/reference/readwrite/json\\_graph.html](https://networkx.org/documentation/stable/reference/readwrite/json_graph.html)).
- You will also get a csv file that has all the data for that match instance (in a real game you won't have this). Robots 1-100 are the robots you need to recruit. Any other robots in the dataset are no longer around, but will be useful for you.

## The Server

We've implemented the game engine as a web service. We'll share how to do use it in javascript soon, but we've packaged up everything you need for Python in canvas. Example the robogames.tgz file and look inside. You can load up Example.ipynb in the client directory using jupyter and follow the instructions (you'll need to run the server in a separate terminal).

## Communicative Vis Alternative

If you don't want to build a dashboard to play robot miners, we're going to ask you to build a vis that explains how a match worked out. Instead of getting the data a little bit at a time from the hacker, you'll get all the data at once (the entire CSV file as described above) as well as a trace describing what each player did. A trace file will be a sequence of events:

Event time, event type, team, robot, value

For example:

```
5, guess, 1, 45, 90
23, wins_closest, 1, 45
56, wins_network, 2, 34
```

Means that team 1 bid at time 5 on robot 45 (with a value of 90). At time 23, team 1 wins that robot because they were the closest. At time 56, team 2 wins robot 34 because of the social network.

Your job will be to create a visualization that is useful for someone interested in the game (much like the tennis vizitcard activity).

Again, you don't have to build visualizations for all the aspects of the game but need to produce a minimum of two. You should be able to take a new match dataset and update your visualization (we'll give you multiple to experiment with).

## Rubric

Your dashboard/system itself will be worth 60% of your grade. Full credit will be given for a working implementation which is clearly expressive/effective, is well designed (aesthetic), etc.

Your video "report" will be worth 40%. Please keep this to 10-12 minutes maximum. We'd like to see an explanation of your system (a short demo/walkthrough) but also some details about why you made design choices. A good report will also describe things you chose not to implement and things that inspired your design.

## Bonus Points

If you decide to play the game, we will award bonus points based on your team's performance. We will also offer bonus points for dashboards/communicative vis that go above and beyond (e.g., implementing good views for all 4 data types).